

NEMICON

MINIATURE TYPE**OMS-T** Model**Miniature Model**

- Ultra Micro Encoder : $\varnothing 12$.
- Ultra Light Encoder Max : 8g.

ModelOMS - - T

Resolution




Signals

1 : 1Single

2 : AB90° Phase Difference

NOTE) Output Mode is Sine Wave Signal


50	50 P/R	90	90 P/R	125	125 P/R
60	60 P/R	100	100 P/R		

External Dimension


※ Install without stress on wires.

Circuit of Output Signal

1T



2T



OMS-T

Electrical Spec.

TYPE	1T	2T
LED Current	IF = 26 mA Max	
Maximum Frequency Response	10 KHz	
Output Signal Amplitude	150 mVp-p or More	
Output Amplitude Variation	40 % Max	

Electrical Connections

Color of Lead Wire	Description
Red	Anode
Black	Cathode
Blue	Collector
White	Emitter

Max. Rating of Electronic Elements


LED Light Emitting Diode

Max. Current Flow	IF ; 60 mA
Reverse Voltage	VR ; 4 V
Derate(25 to 70°C)	- 1.73 m W / °C

PTR Photo Transistor

Collector-Emitter Voltage	V _{CEO} ; 20 V
Emitter-Collector Voltage	V _{ECO} ; 5 V
Collector Current	I _c ; 20 mA
Collector Power Dissipation	P _c ; 75 mW
Derate(25 to 70°C)	- 1.0 m W / °C


Test Circuit



Wave Form.

CW → Rotating Toward Clockwise Viewed from an Arrow

Sig A



Sig B

Mechanical Spec.

Starting Torque	9.8×10 ⁻⁵ N · m Max	
Shaft Loading	Thrust axial	0.98N
	Radial	0.98N
Moment of Inertia	2×10 ⁻⁹ kg · m ²	
Maximum RPM	6000r/min	
Net Weight	8g Max	

Environmental Spec.

Operating Temperature	0°C ~ +50°C
Storage Temperature	- 20°C ~ +80°C
Humidity	RH 85% Max No Condensation
Vibration	50 Hz / 98m/s ² 1 h
Shock	294m/s ² , 11ms X, Y, Z Each 3 times
Degree of Protection	IP50

We are here for you. Addresses and Contacts.

Headquarter Switzerland:

Angst+Pfister Sensors and Power AG
Thurgauerstrasse 66
CH-8050 Zurich
Phone +41 44 877 35 00
sensorsandpower@angst-pfister.com

Office Germany:

Angst+Pfister Sensors and Power Deutschland GmbH
Edisonstraße 16
D-85716 Unterschleißheim
Phone +49 89 374 288 87 00
sensorsandpower.de@angst-pfister.com

Office North America:

Angst+Pfister North America Inc.
10391 Brecksville Rd.
US-Brecksville, OH 44141
Phone +1 440 375-5212
info.apus@angst-pfister.com

Scan here and get an overview of personal contacts!



<https://sensorsandpower.angst-pfister.com/en/>
