

CE DECLARATION OF CONFORMITY: CANVAS PRODUCT LINE



The undersigned representative of Manufacturer:
Horner APG, LLC
59 South State Ave.
Indianapolis, IN 46201, USA

and the authorized representative established at:
Horner Ireland
Unit 1, Centrepont, Centre Park Road
Cork, Ireland

Hereby declares that the products in the following family:
Horner Canvas Series Controllers and Accessories (reference attached list of part numbers)
Are in conformance with the provisions of the following EC Directives

2014/35/EU	Low Voltage Directive (LVD)
2014/30/EU	Electromagnetic Compatibility Directive (EMC)
2014/34/EU	ATEX Directive

through the application of the following standards:


EN 61131-2:2007	Programmable Controllers – Part 2 – Equipment Requirements and tests.
EN 61000-6-2:2005	Electromagnetic Compatibility (EMC) Generic Standards – Part 6-2: Immunity for industrial environments.
EN 61000-6-4:2007 + A1:2011	Electromagnetic Compatibility (EMC) Generic Standards – Part 6-4: Emissions standard for industrial environments.
EN 60079-0:2018	Electrical apparatus for explosive gas atmospheres – Part 0: General requirements.
EN 60079-15:2019	Electrical apparatus for explosive gas atmospheres – Part 15: Construction, test and marking of type of protection “n” electrical apparatus.



II 3 G Ex nA IIC Tx

The Authorized Signatory to this declaration, on behalf of the manufacturer, is identified below:

NAME: Philip Horner
TITLE: President
ADDRESS: 59 South State Avenue, Indianapolis, IN 46201, USA

SIGNATURE:  DATE: 02/10/2026

The responsible Person, based with the EC is identified below:

NAME: David Taylor
TITLE: Engineering Manager - Ireland
ADDRESS: Horner Ireland, Unit 1, Centrepont, Centre Park Road, Cork, Ireland

CE DECLARATION OF CONFORMITY: CANVAS PRODUCT LINE

Part Number	Controller Family	Description	Directive		
			EMC	LVD	ATEX
HE-CV-035C-00	Canvas 4	Canvas 4 Controller 3.5", no built-in IO	√	√	
HE-CV-035C-02	Canvas 4	Canvas 4 Controller 3.5", 12 DC In, 6 Relay Out, 4 Analog In, (mA/V)	√	√	
HE-CV-035C-03	Canvas 4	Canvas 4 Controller 3.5", 12 DC In, 12 DC Out, 2 Analog In, (mA/V)	√	√	
HE-CV-035C-04	Canvas 4	Canvas 4 Controller 3.5", 24 DC In, 16 DC Out, 2 Analog In (mA/V)	√	√	
HE-CV-035C-05	Canvas 4	Canvas 4 Controller 3.5", 12 DC In, 12 DC Out, 2 Analog In (mA/V/Tc/mV/RTD), 2 Analog Out	√	√	
HE-CV-035C-06	Canvas 4	Canvas 4 Controller 3.5", 12 DC In, 12 DC Out, 6 Analog In (mA/V/Tc/mV/RTD), 4 Analog Out	√	√	
HE-CV-043C-01	Canvas 5	Canvas 5 Controller 4.3", 4 DC In, 4 DC Out, 4 Analog In (mA/V)	√	√	
HE-CV-070C-00	Canvas 7	Canvas 7 Controller 7", no built-in IO	√	√	
HE-CV-070C-02	Canvas 7	Canvas 7 Controller 7", 12 DC In, 6 Relay Out, 4 Analog In, (mA/V)	√	√	
HE-CV-070C-03	Canvas 7	Canvas 7 Controller 7", 12 DC In, 12 DC Out, 2 Analog In, (mA/V)	√	√	
HE-CV-070C-04	Canvas 7	Canvas 7 Controller 7", 24 DC In, 16 DC Out, 2 Analog In (mA/V)	√	√	
HE-CV-070C-05	Canvas 7	Canvas 7 Controller 7", 12 DC In, 12 DC Out, 2 Analog In (mA/V/Tc/mV/RTD), 2 Analog Out	√	√	
HE-CV-070C-06	Canvas 7	Canvas 7 Controller 7", 12 DC In, 12 DC Out, 6 Analog In (mA/V/Tc/mV/RTD), 4 Analog Out	√	√	
HE-CV-070D-00	Canvas 7D	Canvas 7D Controller 7", no built-in IO, dual Ethernet, and dual CAN	√	√	
HE-CV-070D-02	Canvas 7D	Canvas 7D Controller 7", 12 DC In, 6 Relay Out, 4 Analog In, (mA/V), dual Ethernet and dual CAN	√	√	
HE-CV-070D-03	Canvas 7D	Canvas 7D Controller 7", 12 DC In, 12 DC Out, 2 Analog In, (mA/V), dual Ethernet and dual CAN	√	√	
HE-CV-070D-04	Canvas 7D	Canvas 7D Controller 7", 24 DC In, 16 DC Out, 2 Analog In (mA/V), dual Ethernet and dual CAN	√	√	
HE-CV-070D-05	Canvas 7D	Canvas 7D Controller 7", 12 DC In, 12 DC Out, 2 Analog In (mA/V/Tc/mV/RTD), 2 Analog Out, dual Ethernet and dual CAN	√	√	
HE-CV-070D-06	Canvas 7D	Canvas 7D Controller 7", 12 DC In, 12 DC Out, 6 Analog In (mA/V/Tc/mV/RTD), 4 Analog Out, dual Ethernet and dual CAN	√	√	
HE-CV-101D-00	Canvas 10D	Canvas 10D Controller 10.1", no built in IO, dual Ethernet and dual CAN	√	√	
HE-CV-101D-02	Canvas 10D	Canvas 10D Controller 10.1", 12 DC In, 6 Relay Out, 4 Analog In, (mA/V), dual Ethernet and dual CAN	√	√	
HE-CV-101D-03	Canvas 10D	Canvas 10D Controller 10.1", 12 DC In, 12 DC Out, 2 Analog In, (mA/V), dual Ethernet and dual CAN	√	√	
HE-CV-101D-04	Canvas 10D	Canvas 10D Controller 10.1", 24 DC In, 16 DC Out, 2 Analog In (mA/V), dual Ethernet and dual CAN	√	√	
HE-CV-101D-05	Canvas 10D	Canvas 10D Controller 10.1", 12 DC In, 12 DC Out, 2 Analog In (mA/V/Tc/mV/RTD), 2 Analog Out, dual Ethernet and dual CAN	√	√	

CE DECLARATION OF CONFORMITY: CANVAS PRODUCT LINE

Part Number	Controller Family	Description	Directive		
			EMC	LVD	ATEX
HE-CV-101D-06	Canvas 10D	Canvas 10D Controller 10.1", 12 DC In, 12 DC Out, 6 Analog In (mA/V/Tc/mV/RTD), 4 Analog Out, dual Ethernet and dual CAN	√	√	
HE-CV-070D-00-450	Canvas 7D	Canvas 7D Controller 7", no built-in IO, dual Ethernet, and dual CAN; ATEX certified	√	√	√
HE-CV-070D-02-450	Canvas 7D	Canvas 7D Controller 7", 12 DC In, 6 Relay Out, 4 Analog In, (mA/V), dual Ethernet and dual CAN; ATEX certified	√	√	√
HE-CV-070D-03-450	Canvas 7D	Canvas 7D Controller 7", 12 DC In, 12 DC Out, 2 Analog In, (mA/V), dual Ethernet and dual CAN; ATEX certified	√	√	√
HE-CV-070D-04-450	Canvas 7D	Canvas 7D Controller 7", 24 DC In, 16 DC Out, 2 Analog In (mA/V), dual Ethernet and dual CAN; ATEX certified	√	√	√
HE-CV-070D-05-450	Canvas 7D	Canvas 7D Controller 7", 12 DC In, 12 DC Out, 2 Analog In (mA/V/Tc/mV/RTD), 2 Analog Out, dual Ethernet and dual CAN; ATEX certified	√	√	√
HE-CV-070D-06-450	Canvas 7D	Canvas 7D Controller 7", 12 DC In, 12 DC Out, 6 Analog In (mA/V/Tc/mV/RTD), 4 Analog Out, dual Ethernet and dual CAN; ATEX certified	√	√	√
HE959HMI-4	HMI Connect	HMI Connect 04, Characters/Pixels = 480x272, Display Technology = TFT Resistive touch, Brightness = 350 nits, Function Keys = Virtual, Connection Type = HMI Connect Display Connector	√	√	
HE959HMI-7	HMI Connect	HMI Connect 07, Characters/Pixels = 800x480, Display Technology = TFT Resistive touch, Brightness = 450 nits, Function Keys = Virtual, Connection Type = HMI Connect Display Connector	√	√	
HE959HMI-10	HMI Connect	HMI Connect 10, Characters/Pixels = 1024x600, Display Technology = TFT Resistive touch, Brightness = 250 nits, Function Keys = Virtual, Connection Type = HMI Connect Display Connector	√	√	
HE959HMI-15	HMI Connect	HMI Connect 15, Characters/Pixels = 1024x768, Display Technology = TFT Resistive touch, Brightness = 500 nits, Function Keys = Virtual, Connection Type = HMI Connect Display Connector	√	√	
HE-959AP-07	Advanced HMI Connect	Advanced HMI Connect 07, Characters/Pixels = 800x480, Display Technology = TFT Resistive touch, Brightness = 1000 cd/m², Function Keys = Virtual, Connection Type = HMI Connect Display Connector	√	√	
HE-959AP-10	Advanced HMI Connect	Advanced HMI Connect 10, Characters/Pixels = 1280x800, Display Technology = TFT Resistive touch, Brightness = 1000 cd/m², Function Keys = Virtual, Connection Type = HMI Connect Display Connector	√	√	
HE959CPU300	CPU300	CPU300, Ethernet Ports = 2x10/100Mbps, Standard Ethernet Protocols, Remote Access = OCS360 Cloud Service, WebMI via HTML5, EnvisionRV, CAN Protocols = CsCAN, CANopen, & SAE J1939 (std), RS-232 & RS-485 Ports = Shared RJ45 with RS-485 (half-duplex) and RS-232. Modbus/RTU (master/slave), ASCII & other protocols. No Built-In I/O, Local I/O Expansion = 7 Modules maximum, Network OCS-I/O Expansion, 16 Bases x 7 Modules maximum.	√	√	

SUPPORT

Technical Support

For assistance and manual updates, contact
Technical Support at the following locations:

North America

+1 (317) 916-4274

www.hornerautomation.com

APGUSATechSupport@heapg.com

Europe

+353 (21) 4321-266

www.hornerautomation.eu

technical.support@horner-apg.com

Corporate Contacts

GLOBAL HEADQUARTERS

59 South State Avenue
Indianapolis, Indiana 46201

P 317-916-4274

F 317-639-4279

TF 877-665-5666

www.hornerautomation.com

sales@heapg.com

INTERNATIONAL OPERATIONS

HORNER EUROPE

Horner Ireland Limited, Unit 1
Centrepont, Centrepark Road
Cork, Ireland

P +353-21-4321266

F +353-21-4321826

info@horner-apg.com

www.hornerautomation.eu

HORNER CANADA

916 42 Avenue SE #120

Calgary, Alberta T2G 1Z2

P (403) 444-0928

F (403) 265-0966

info@hornercanada.com

www.hornerautomation.com

HORNER INDIA

Vaishnavi, No. 3, Domlur 2nd Stage
3rd Phase, Domlur Main Rd.

Bangalore 560071

Karnataka, India

P +91-80-41263460 / 61 / 62

F +91-80-41263464

info@india.horner-apg.com

www.hornerautomation.com