



RR105	..	i
-------	----	----------



	i	T ₂ [Nm]						n _{1max}	T _{2max}	P _t
		n ₂ x h								
		10000 (10 ⁴)	25000 (2.5 · 10 ⁴)	50000 (5 · 10 ⁴)	100000 (10 ⁵)	500000 (5 · 10 ⁵)	1000000 (10 ⁶)			
	1/...							[min ⁻¹]	[Nm]	[kW]
RR105	3.21	1220	1160	1140	1130	930	760	3500	1800	11.8 (M...) 17.9 (UC) 7.9 (FS)
	4.10	1160	1070	1060	1050	900	730			
	5.42	1030	940	850	790	720	690			
	7.20	760	640	560	540	490	470			
RR105D	11.27	1220	1160	1140	1130	930	760	3500	1800	6.4 (M...) 9.5 (UC) 4.7 (FS)
	14.39	1160	1070	1060	1050	900	730			
	19.07	1160	1070	1060	1050	900	730			
	25.46	1160	1070	1060	1050	900	730			
	33.66	1030	940	850	790	720	690			
	44.71	760	640	560	540	490	470			
RR105T	50.51	1160	1070	1060	1050	900	730	3500	1800	4.7 (M...) 6.7 (UC) 3.5 (FS)
	66.92	1160	1070	1060	1050	900	730			
	89.37	1160	1070	1060	1050	900	730			
	118.39	1160	1070	1060	1050	900	730			
	158.11	1160	1070	1060	1050	900	730			
	209.02	1030	940	850	790	720	690			
	277.66	760	640	560	540	490	470			



RA105

..

i



	i 1/...	T ₂ [Nm]						n _{1max} [min ⁻¹]	T _{2max} [Nm]	P _t [kW]
		n ₂ x h								
		10000 (10 ⁴)	25000 (2.5 · 10 ⁴)	50000 (5 · 10 ⁴)	100000 (10 ⁵)	500000 (5 · 10 ⁵)	1000000 (10 ⁶)			
RA105	10.34	1220	1160	1140	1130	930	760	3500	1800	12.5 (M...) 15.5 (UC) 10.5 (FS)
	13.20	1160	1070	1060	1050	900	730			
	17.45	1030	940	850	790	720	690			
	23.18	760	640	560	540	490	470			
	31.91	1030	890	840	790	700	660			
	42.39	760	640	560	540	490	470			
RA105D	33.18	1220	1160	1140	1130	930	760	3500	1800	8.7 (M...) 10.8 (UC) 7.6 (FS)
	42.38	1220	1160	1140	1130	930	760			
	54.13	1160	1070	1060	1050	900	730			
	71.55	1160	1070	1060	1050	900	730			
	95.05	1160	1070	1060	1050	900	730			
	125.66	1030	940	850	790	720	690			
	166.92	760	640	560	540	490	470			
	173.81	1160	1070	1060	1050	900	730			
	229.77	1030	940	850	790	720	690			
	305.23	760	640	560	540	490	470			










RR105

..

i

..



CFG

RF
BOC

A B C

C3

C3




B20




B21













C18



C29











RR105	..	i	..
RA105	..	..	..








RR105	..	i	FS
RA105			





105

IT EN DE FR ES PT



	CFG ①		code	X1
RR105	BOC	L35-2	154-2190M1	238.5 (M...) 177 (FS)
RR105D	RF	L35-1	154B4054	254.5 (M...) 193 (FS)
RR105T	RF	L35-1	154B4054M1	276.5 (M...) 215 (FS)

	CFG ①		code	X2
RA105	BOC	L35-2	154-2190M1	270.5
RA105D	BOC	L35-2	154-2190M1	270.5



CFG
RF BOC
A B C



RF2/..



C11




CFG	
RF BOC	C3
A	C3
B	
C	

RF2/..	CFG ①	T _f [Nm]	CFG ②						
			B		OMP/OMR SAE A 2B Ø 25	OMP/OMR SAE A 2B 1" 6B	OMP/OMR SAE A 4B Ø 25	OMP/OMR SAE A 4B 1" 6B	
			code	X3	code	code	code	code	X3
RR105	RF	70	154-2838M1	187.5 (M...) 126 (FS)	154-2863	154-2863M11	154-2635	154-2635M11	177.5 (M...) 116 (FS)
		140	154-2839M1		154-2864	154-2864M11	154-2636	154-2636M11	
		210	154-2840M1		154-2865	154-2865M11	154-2637	154-2637M11	
		320	154-2841M1		154-2866	154-2866M11	154-2638	154-2638M11	
		430	154-2842M1		154-2867	154-2867M11	154-2639	154-2639M11	
		600	154B8962M1		154B9665	154B9665M11	154B9666	154B9666M11	


	CFG ①	T _f [Nm]	CFG ②						
			A		OMP/OMR SAE A 2B Ø 25	OMP/OMR SAE A 2B 1" 6B	OMP/OMR SAE A 4B Ø 25	OMP/OMR SAE A 4B 1" 6B	
			code	X3	code	code	code	code	X3
RR105D	RF	70	154-2832M1	232.5 (M...) 171 (FS)	154-2858M1	154-2858M5			228 (M...) 166.5 (FS)
		140	154-2833M1		154-2859M1	154-2859M5			
		210	154-2834M1		154-2860M1	154-2860M5			
		320	154-2836M1		154-2861M1	154-2861M5			
		430	154-2837M1		154-2862M1	154-2862M5			
		600	154B8959M1		154B9663M1	154B9663M5			
RR105T	RF	70	154-2832M3	254.5 (M...) 193 (FS)	154-2858M3	154-2858M7			250 (M...) 188.5 (FS)
		140	154-2833M3		154-2859M3	154-2859M7			
		210	154-2834M3		154-2860M3	154-2860M7			
		320	154-2836M3		154-2861M3	154-2861M7			
		430	154-2837M3		154-2862M3	154-2862M7			
		600	154B8959M3		154B9663M3	154B9663M7			

	CFG ①	T _f [Nm]	CFG ②						
			B		OMP/OMR SAE A 2B Ø 25	OMP/OMR SAE A 2B 1" 6B	OMP/OMR SAE A 4B Ø 25	OMP/OMR SAE A 4B 1" 6B	
			code	X4	code	code	code	code	X4
RA105	RF	70	154-2838M12	223.8	154-2863M12	154-2863M13	154-2635M12		213.8
		140	154-2839M12		154-2864M12	154-2864M13	154-2636M12		
		210	154-2840M12		154-2865M12	154-2865M13	154-2637M12		
		320	154-2841M12		154-2866M12	154-2866M13	154-2638M12		
		430	154-2842M12		154-2867M12	154-2867M13	154-2639M12		
		600	154B8962M12		154B9665M12	154B9665M13	154B9666M12		
RA105D	RF	70	154-2838M12	223.8	154-2863M12	154-2863M13	154-2635M12		213.8
		140	154-2839M12		154-2864M12	154-2864M13	154-2636M12		
		210	154-2840M12		154-2865M12	154-2865M13	154-2637M12		
		320	154-2841M12		154-2866M12	154-2866M13	154-2638M12		
		430	154-2842M12		154-2867M12	154-2867M13	154-2639M12		
		600	154B8962M12		154B9665M12	154B9665M13	154B9666M12		



12

Kg 0.1



154-3063


Materiale / Material / Material / Matériau / Material / Material:
Acciaio / Steel / Stahl / Acier / Acero / Aço
C40 EN 10083-1 (1.1186)



28

Kg 1.6

Materiale / Material / Material / Matériau / Material / Material:
Acciaio / Steel / Stahl / Acier / Acero / Aço EN 10083-1-C40 (1.1186)



154-3113


⚠ T_{2max} =
1740 Nm





29

Kg 0.5

Materiale / Material / Material / Matériau / Material / Material:
Acciaio / Steel / Stahl / Acier / Acero / Aço 39NiCrMo3 UNI 7845 (1.6511)




154-3094




Materiale / Material / Material
 Matériau / Material / Material
 Acciaio / Steel / Stahl / Acier / Acero / Aço
 39NiCrMo3 UNI 7845 (1.6511)

	A	B	C	D	E	F1	F2	G1	G2	N	m	z	x	H	Dp	De	Code
MS	53	46 F6	DIN5482 A40x36	40 F6	50	2	7.5	7	21	47.5	4	15	0.5	44.5	60	69.8	154-3072
	53	46 F6	DIN5482 A40x36	40 F6	50	2	7.5	7	21	47.5	4	32	0	44.5	128	135	154-3104
	53	46 F6	DIN5482 A40x36	40 F6	50	2	7.5	7	21	47.5	6	12	0.25	44.5	72	84.8	154-3073
	53	46 F6	DIN5482 A40x36	40 F6	50	2	7.5	7	21	47.5	5	14	0.5	44.5	70	84	154-2709
	53	46 F6	DIN5482 A40x36	40 F6	50	2	7.5	7	21	47.5	6	24	0	44.5	144	154	154-2285
	53	46 F6	DIN5482 A40x36	40 F6	50	2	7.5	7	21	47.5	8	16	0.25	44.5	128	145	154-2707




Kg 0.9





154-3050



Materiale / Materiale / Material
 Matériau / Material / Material:
 Acciaio / Steel / Stahl / Acier / Acero / Aço
 39NiCrMo3 UNI 7845 (1.6511)



RR	105	..	MS
RA			MC



RR	105	..	UC
RA			



Fattore correttivo k_{r2} / k_{r2} Corrective coefficient / Korrekturfaktor k_{r2}
 Facteur correctif k_{r2} / Factor de corrección k_{r2} / Fator corretivo k_{r2}

